

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	("5778230").PN.	USPAT; USOCR	OR	OFF	2004/07/20 14:36
S2	1	("5740440").PN.	USPAT; USOCR	OR	OFF	2004/07/20 14:36
S3	1	("5845125").PN.	USPAT; USOCR	OR	OFF	2004/07/20 14:37
S4	1	("6240545").PN.	USPAT; USOCR	OR	OFF	2005/04/21 12:57
S5	150	class\$2 same object\$1 same((identif\$7 or determin\$5 or indicat\$3) with (constructor\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 17:59
S6	30	((breakpoint\$1 or (break adj1 point\$1)) with method\$1) same (class\$2 with method\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 18:00
S7	1	S6 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 17:51
S8	2	((breakpoint\$1 or (break adj1 point\$1)) with constructor\$1) same (class\$2 with constructor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 17:53
S9	2	S6 and ((identif\$7 or determin\$5 or indicat\$3) with (constructor\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 18:01
S10	194	class\$2 same object\$1 same((identif\$7 or determin\$5 or indicat\$3 or list\$3) with (constructor\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 17:59
S11	1	S10 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 18:01
S12	411	class\$2 with constructors	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 18:01

S13	11	S12 and ((breakpoint\$1 or (break adj1 point\$1)) with method\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 18:01
S14	1	S11 and ((identif\$7 or determin\$5 or indicat\$3) with (constructor\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 18:10
S15	3	breakpoint\$1 with constructors	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 18:56
S16	4	("4885717"   "5093914"   "5339433"   "5361351").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/20 18:53
S17	4	("4827404"   "4885717"   "5093914"   "5432903").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/20 18:51
S18	1	(S16 or S17) and (breakpoint\$1 or (break adj1 point\$1))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/20 18:53
S19	10	breakpoint\$1 with constructor\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 18:57
S20	4	S19 same constructors	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 18:58
S21	14478	(class\$2 or object\$1) with (instantiat\$3 or initializ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 18:59
S22	672	S21 and constructors	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 19:00
S23	19	S22 and ((breakpoint\$1 or (break adj1 point\$1)) with (instantiat\$3 or initializ\$5 or constructor\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 19:17

S24	24	S21 and ((breakpoint\$1 or (break adj1 point\$1)) with (class\$2 or bject\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 12:56
S25	26	overload\$3 near4 constructor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 19:33
S27	12298	(class\$2 with (object\$1 or instance\$1)) and ((object\$1 or instance\$1) near5 (creat\$4 or instantiat\$5 or initializ\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 13:17
S28	872	S27 and ((track\$3 or count\$3 or monitor\$3) with((object\$1 or instance\$1) near5 (creat\$4 or instantiat\$5 or initializ\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 13:17
S29	2	S28 and ((breakpoint\$1 or (break adj1 point\$1)) with (constructor\$1 or creat\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 13:04
S30	76	S28 and ((class or object or instance) with constructors)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 13:11
S31	13	S30 and (breakpoint\$1 or (break adj1 point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 13:16
S32	1300	(717/129 or 717/124 or 717/125 or 717/127 or 717/130)".cls"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 13:06
S33	0	S32 and "I76"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 13:07
S34	4	S32 and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 13:07

S35	652	S27 and ((track\$3 or monitor\$3) with((object\$1 or instance\$1) near5 (creat\$4 or instantiat\$5 or initializ\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 13:10
S36	35	S35 and ((class or object or instance) with constructors)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 13:11
S37	45	S35 and ((class or object or instance) with (constructors or (constructor near2 (methods or functions))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 13:16
S38	2	S37 and (breakpoint\$1 or (break adj1 point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 13:16
S39	11361	(class\$2 with (object\$1 or instance\$1)) and ((object\$1 or instance\$1) near3(creat\$4 or instantiat\$5 or initializ\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 13:17
S41	627	S39 and ((track\$3 or monitor\$3) with ((object\$1 or instance\$1) near5 (creat\$4 or instantiat\$5 or initializ\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 13:18
S42	24	S32 and S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 13:22
S43	7406	class near3 objects	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 13:30
S44	13	S43 and (object near3 creations)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 13:25
S45	1	S44 and ((track\$3 or monitor\$3) with creations)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 13:28

S46	5	S44 and ((track\$3 or monitor\$3) with creat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 13:23
S47	2	S44 and ((track\$3 or monitor\$3 or sav\$3 or record\$3 or trac\$3) with creations)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 13:31
S48	30888	class with (object\$1 or instance\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 13:31
S49	1226	S48 same ((track\$3 or monitor\$3 or sav\$3 or record\$3 or trac\$3) with (instances or objects))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 13:44
S50	116	S49 and ((class\$2 or object\$1 or instance\$1) with (constructors or (constructor near2 (methods or functions))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 13:33
S51	94	S49 and ((class\$2 or object\$1 or instance\$1) with constructors)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 13:33
S52	14459	S48 and ((instance\$1 or object\$1) with (creat\$4 or instantiat\$4 or initializ\$5 or construct\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 13:44
S53	2553	S52 and ((detect\$3 or track\$3 or monitor\$3 or sav\$3 or record\$3 or trac\$3) with ((instance\$1 or object\$1) with (creat\$4 or instantiat\$4 or initializ\$5 or construct\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 13:46
S54	2239	S52 and ((detect\$3 or track\$3 or monitor\$3 or record\$3 or trac\$3) with ((instance\$1 or object\$1) with (creat\$4 or instantiat\$4 or initializ\$5 or construct\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 13:53
S55	117	S54 and ((class or object or instance) with constructors)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 13:46

S56	6	S55 and (breakpoint\$1 or (break adj1 point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 13:47
S57	32	("5740440").URPN.	USPAT	OR	OFF	2005/04/21 13:52
S58	8003	(detect\$3 or track\$3 or monitor\$3 or record\$3 or trac\$3) with (object\$1 near4 (creat\$4 or instantiat\$4 or initializ\$6 or construct\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 15:02
S59	415	S58 same (class\$2 with object\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 14:06
S60	17	S59 and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 13:55
S61	27	S59 and ((class or object or instance) with constructors)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 14:07
S62	7674	(detect\$3 or track\$3 or monitor\$3 or record\$3) with (object\$1 near4 (creat\$4 or instantiat\$4 or initializ\$6 or construct\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 15:59
S63	80	S62 same (number near3 (creat\$4 or instantiat\$4 or initializ\$6 or construct\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 15:04
S64	19	(breakpoint\$1 or (break adj1 point\$1)) with (object\$1 near4 (creat\$4 or instantiat\$4 or initializ\$6 or construct\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 15:42
S65	36465	(class\$2 with (object\$1 or instance\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 15:29
S66	10	S65 and ((breakpoint\$1 or (break adj1 point\$1)) with (constructor\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 15:38

S67	28	number with (object near3 (creations or allocations or instantiations))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 15:41
S68	31	(breakpoint\$1 or (break adj1 point\$1) or ((halt\$3 or stop\$4) with execut\$4)) with (object\$1 near4 (creat\$4 or instantiat\$4 or initializ\$6 or construct\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 15:46
S69	56	(breakpoint\$1 or (break adj1 point\$1) or ((halt\$3 or stop\$4 or suspen\$4) with execut\$4)) with (object\$1 near4 (creat\$4 or instantiat\$4 or initializ\$6 or construct\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 15:52
S70	555	(717/129 or 714/34)".class"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 15:49
S71	16	S62 and S70	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 15:52
S72	1	S71 and S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 15:50
S73	218	(717/129)".class"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 16:14
S74	3	S73 and (((halt\$3 or stop\$4 or suspen\$4) with execut\$4) with (object\$1 near4 (creat\$4 or instantiat\$4 or initializ\$6 or construct\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 16:10
S75	8309	(detect\$3 or track\$3 or monitor\$3 or record\$3 or calculat\$3) with (object\$1 near4 (creat\$4 or instantiat\$4 or initializ\$6 or construct\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 15:59
S76	16	S70 and S75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 16:14

S77	5	S76 and (breakpoint\$1 or (break adj1 point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 16:14
S78	2	("4796258").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 16:08
S79	2	("4866665").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 16:05
S80	2	("5093914").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 16:05
S81	2	("5124989").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 16:05
S82	2	("5630049").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 16:06
S83	2	("5815653").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 16:06
S84	2	("6044305").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 16:06
S85	2	("6091896").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 16:06
S86	2	("6158045").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 16:06



S87	0	(2001/0004766).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 16:06
S88	2	("20010004766").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 16:07
S89	2	("6378125").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 16:07
S90	2	("6550056").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 16:07
S91	2	("6629123").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 16:07
S92	2	("6681384").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 16:07
S93	28	S78 or S79 or S80 or S81 or S82 or S83 or S84 or S85 or S86 or S87 or S88 or S89 or S90 or S91 or S92	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 16:09
S94	3	S93 and S75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 16:09
S95	2	S93 and (((halt\$3 or stop\$4 or suspens\$4) with execut\$4) with (object\$1 near4 (creat\$4 or instantiat\$4 or initializ\$6 or construct\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 16:11
S96	44	S73 and (condition\$2 with (breakpoint\$1 or (break adj1 point\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 16:15

S97	1	S96 and ((breakpoint\$1 or (break adj1 point\$1)) with constructor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 16:17
S98	16	S96 and ((breakpoint\$1 or (break adj1 point\$1)) with ((method\$1 or function\$1) with (invocations or calls or creations or invok\$3 or created or called)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 16:29
S99	528	(encounter\$3 or hit\$4) with (breakpoint\$1 or (break adj1 point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 16:30
S10 0	146	S99 and ((disabl\$3 or ignor\$3) with (breakpoint\$1 or (break adj1 point\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 16:33
S10 1	80	S100 and ((breakpoint\$1 or (break adj1 point\$1)) with (constructor\$1 or method\$1 or function\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 16:34
S10 2	2	S100 and ((breakpoint\$1 or (break adj1 point\$1)) with (constructor\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 16:32
S10 3	132	S99 and ((disabl\$3) with (breakpoint\$1 or (break adj1 point\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 16:33
S10 4	68	S103 and ((breakpoint\$1 or (break adj1 point\$1)) with (constructor\$1 or method\$1 or function\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 17:33
S10 5	0	S104 and constructors	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 16:36
S10 6	0	S104 and constructor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 16:36

S10 7	5	S104 and (class\$2 with (constructor\$1 or method\$1 or function\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 16:37
S10 8	5	((breakpoint\$1 or (break adj1 point\$1)) with (constructor\$1 or method\$1 or function\$1)) same (overload\$3 with (constructor\$1 or method\$1 or function\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 16:43
S10 9	14	((breakpoint\$1 or (break adj1 point\$1)) with (constructor\$1 or method\$1 or function\$1)) and (overload\$3 with (constructor\$1 or method\$1 or function\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 16:44
S11 2	10	(breakpoint\$1 or (break adj1 point\$1)) with (constructor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 17:33
S11 3	6	S112 and ((condition\$2 or criteria) with (breakpoint\$1 or (break adj1 point\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 17:35
S11 4	0	S112 and (disabl\$3 with (breakpoint\$1 or (break adj1 point\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 17:35
S11 5	120	conditional near3 (breakpoint\$1 or (break adj1 point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 14:33
S11 6	0	S115 same (overload\$3 near4 (function\$1 or method\$1 or constructor\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 14:34
S11 7	5	(breakpoint\$1 or (break adj1 point\$1)) with (overload\$3 near4 (function\$1 or method\$1 or constructor\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 14:41
S11 8	1	S117 and condition\$2 with (breakpoint\$1 or (break adj1 point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 14:40

S119	1193	(condition\$2 or counter\$1) with (breakpoint\$1 or (break adj1 point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 14:44
S120	6	S119 and ((breakpoint\$1 or (break adj1 point\$1)) with constructor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 14:41
S121	1336	(condition\$2 or counter\$1 or hit\$1) with (breakpoint\$1 or (break adj1 point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 14:52
S122	6	S121 and ((breakpoint\$1 or (break adj1 point\$1)) with constructor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 14:45
S123	75	S121 and ((breakpoint\$1 or (break adj1 point\$1)) with (class\$2 or method\$1 or function\$1)) and ((class\$2 with (method\$1 or function\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 14:54
S124	934	(condition\$2 or (counter\$1 near2 hit\$1)) with (breakpoint\$1 or (break adj1 point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 17:28
S125	1114	(disabl\$3 or condition\$2 or (counter\$1 near2 hit\$1) or ((number\$1 or time\$1) with encounter\$3)) with (breakpoint\$1 or (break adj1 point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 14:54
S126	65	S125 and ((breakpoint\$1 or (break adj1 point\$1)) with (class\$2 or method\$1 or function\$1 or constructor\$1)) and ((class\$2 with (method\$1 or function\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 14:56
S127	11	S126 and constructor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 14:57
S128	64	S125 and ((breakpoint\$1 or (break adj1 point\$1)) with (method\$1 or function\$1 or constructor\$1)) and ((class\$2 with (method\$1 or function\$1 or constructor\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 14:56

S12 9	11	S128 and constructor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 14:57
S13 0	0	(counter\$1 near2 hit\$1) with (breakpoint\$1 or (break adj1 point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 17:29
S13 1	395	(counter\$1) with (breakpoint\$1 or (break adj1 point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 18:00
S13 2	42	S131 same (increment\$3 with counter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 18:01
S13 3	1300	(717/129 or 717/124 or 717/125 or 717/127 or 717/130)".class"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 17:30
S13 4	5	S132 and S133	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 17:30
S13 5	528	(hit\$4 or encounter\$3) with (breakpoint\$1 or (break adj1 point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 18:13
S13 6	8	S135 same (increment\$3 with counter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 18:03
S13 7	1860	(hit\$4 or encounter\$3 or occur\$6) with (breakpoint\$1 or (break adj1 point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 18:03
S13 8	18	S137 same (increment\$3 with counter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 18:30

S13 9	17	S137 same (increment\$3 with (hits or encounter\$3 or occur\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 18:17
S14 0	248	disabl\$3 with (breakpoint\$1 or (break adj1 point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 18:17
S14 1	2	S140 same increment\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 18:16
S14 2	102	counter\$1 near2 (breakpoint\$1 or (break adj1 point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 18:17
S14 3	3	S142 same (increment\$3 with (hits or encounter\$3 or occur\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 18:22
S14 4	12	S142 same (increment\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 18:19
S14 5	122	((hit\$4 or encounter\$3 or occur\$6) with (breakpoint\$1 or (break adj1 point\$1))) same ((monitor\$3 or track\$3 or calculat\$3) with (encounter\$3 or hit\$1 or occur\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 18:27
S14 6	1	S145 same (increment\$3 with (hits or encounter\$3 or occur\$6 or number\$1 or value\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 18:22
S14 7	14	S145 and (increment\$3 with (hits or encounter\$3 or occur\$6 or number\$1 or value\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 18:23
S14 8	141638	(monitor\$3 or track\$3 or calculat\$3) with (encounter\$3 or hit\$1 or occur\$6) (breakpoint\$1 or (break adj1 point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 18:27

S14 9	113	(monitor\$3 or track\$3 or calculat\$3) with (encounter\$3 or hit\$1 or occur\$6) with (breakpoint\$1 or (break adj1 point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 18:28
S15 0	1	S149 same increment\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 18:28
S15 1	207	(monitor\$3 or track\$3 or calculat\$3 or count\$3) with (encounter\$3 or hit\$1 or occur\$6) with (breakpoint\$1 or (break adj1 point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 18:35
S15 2	11	S151 same increment\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 18:30
S15 3	124	S151 and ((breakpoint\$1 or (break adj1 point\$1)) with count\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 18:46
S15 4	23	S153 and (increment\$3 with count\$3) same ((breakpoint\$1 or (break adj1 point\$1)) with count\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 18:36
S15 5	286	(monitor\$3 or track\$3 or calculat\$3 or count\$3) with (encounter\$3 or hit\$1 or occur\$6 or reach\$3) with (breakpoint\$1 or (break adj1 point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 18:59
S15 6	166	S155 and ((breakpoint\$1 or (break adj1 point\$1)) with count\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 18:36
S15 7	30	S156 and (increment\$3 with count\$3) same ((breakpoint\$1 or (break adj1 point\$1)) with count\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 18:36
S15 8	53	((((breakpoint\$1 or (break adj1 point\$1)) with count\$3) same (increment\$3 with count\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 18:50

S15 9	301	(breakpoint\$1 or (break adj1 point\$1)) with loop\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 18:51
S16 0	48	S159 and (loop\$1 with count\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 18:51
S16 1	28	S159 same (loop\$1 with count\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 18:51
S16 2	4	S161 same (increment\$3 with count\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 18:51
S16 3	1341	(encounter\$3 or hit\$1 or reach\$3) with (breakpoint\$1 or (break adj1 point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 18:59
S16 4	47	S163 same increment\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 19:02
S16 5	49	(number near3 times) with (breakpoint\$1 or (break adj1 point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 19:02
S16 6	4	S165 same increment\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 19:02